SUBCHAPTER F—BIOLOGICS

PART 600—BIOLOGICAL PRODUCTS: GENERAL

Subpart A—General Provisions

Sec.

600.3 Definitions.

Subpart B-Establishment Standards

600.10 Personnel.

600.11 Physical establishment, equipment, animals, and care.

600.12 Records.

600.13 Retention samples.

600.14 Reporting of errors.

600.15 Temperatures during shipment.

Subpart C-Establishment Inspection

600.20 Inspectors.

Time of inspection.

600.22 Duties of inspector.

Subpart D-Reporting of Adverse Experiences

600.80 Postmarketing reporting of adverse experiences.

600.81 Distribution reports.

600.90 Waivers.

AUTHORITY: Secs. 201, 501, 502, 503, 505, 510, 519, 701, 704 of the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 321, 351, 352, 353, 355, 360, 360i, 371, 374); secs. 215, 351, 352, 353, 361, 2125 of the Public Health Service Act (42 U.S.C. 216, 262, 263, 263a, 264, 300aa-25).

CROSS REFERENCES: For U.S. Customs Service regulations relating to viruses, serums, and toxins, see 19 CFR 12.21-12.23. For U.S. Postal Service regulations relating to the admissibility to the United States mails see parts 124 and 125 of the Domestic Mail Manual, that is incorporated by reference in 39 CFR part 111.

Subpart A—General Provisions

§ 600.3 Definitions.

As used in this subchapter:

- (a) Act means the Public Health Service Act (58 Stat. 682), approved July 1,
- (b) Secretary means the Secretary of Health and Human Services and any other officer or employee of the Department of Health and Human Services to whom the authority involved has been delegated.

- (c) Commissioner of Food and Drugs means the Commissioner of the Food and Drug Administration.
- (d) Center for Biologics Evaluation and Research means Center for Biologics Evaluation and Research of the Food and Drug Administration.

(e) State means a State or the District of Columbia, Puerto Rico, or the Virgin Islands.

- (f) Possession includes among other possessions, Puerto Rico and the Virgin Islands.
- (g) Products includes biological products and trivalent organic arsenicals.
- (h) Biological product means any virus, therapeutic serum, toxin, antitoxin, or analogous product applicable to the prevention, treatment or cure of diseases or injuries of man:
- (1) A virus is interpreted to be a product containing the minute living cause of an infectious disease and includes but is not limited to filterable viruses, bacteria, rickettsia, fungi, and proto-
- (2) A therapeutic serum is a product obtained from blood by removing the clot or clot components and the blood cells.
- (3) A toxin is a product containing a soluble substance poisonous to laboratory animals or to man in doses of 1 milliliter or less (or equivalent in weight) of the product, and having the property, following the injection of non-fatal doses into an animal, of causing to be produced therein another soluble substance which specifically neutralizes the poisonous substance and which is demonstrable in the serum of the animal thus immunized.
- (4) An antitoxin is a product containing the soluble substance in serum or other body fluid of an immunized animal which specifically neutralizes the toxin against which the animal is immune.

(5) A product is analogous:

- (i) To a virus if prepared from or with a virus or agent actually or potentially infectious, without regard to the degree of virulence or toxicogenicity of the specific strain used.
- (ii) To a therapeutic serum, if composed of whole blood or plasma or

containing some organic constituent or product other than a hormone or an amino acid, derived from whole blood, plasma, or serum.

(iii) To a toxin or antitoxin, if intended, irrespective of its source of origin, to be applicable to the prevention, treatment, or cure of disease or injuries of man through a specific immune process.

(i) Trivalent organic arsenicals means arsphenamine and its derivatives (or any other trivalent organic arsenic compound) applicable to the prevention, treatment, or cure of diseases or

injuries of man.

- (j) A product is deemed applicable to the prevention, treatment, or cure of diseases or injuries of man irrespective of the mode of administration or application recommended, including use when intended through administration or application to a person as an aid in diagnosis, or in evaluating the degree of susceptibility or immunity possessed by a person, and including also any other use for purposes of diagnosis if the diagnostic substance so used is prepared from or with the aid of a biological product.
- (k) Proper name, as applied to a product, means the name designated in the license for use upon each package of the product.
- (1) Dating period means the period beyond which the product cannot be expected beyond reasonable doubt to yield its specific results.

(m) Expiration date means the calendar month and year, and where applicable, the day and hour, that the dating period ands

dating period ends.

(n) The word *standards* means specifications and procedures applicable to an establishment or to the manufacture or release of products, which are prescribed in this subchapter and which are designed to insure the continued safety, purity and potency of such products.

(o) The word *continued* as applied to the safety, purity and potency of products is interpreted to apply to the dat-

ing period.

(p) The word *safety* means the relative freedom from harmful effect to persons affected, directly or indirectly, by a product when prudently administered, taking into consideration the

character of the product in relation to the condition of the recipient at the time.

- (q) The word *sterility* is interpreted to mean freedom from viable contaminating microorganisms, as determined by the tests prescribed in §610.12 of this chapter.
- (r) Purity means relative freedom from extraneous matter in the finished product, whether or not harmful to the recipient or deleterious to the product. Purity includes but is not limited to relative freedom from residual moisture or other volatile substances and pyrogenic substances.
- (s) The word *potency* is interpreted to mean the specific ability or capacity of the product, as indicated by appropriate laboratory tests or by adequately controlled clinical data obtained through the administration of the product in the manner intended, to effect a given result.
- (t) *Manufacturer* means any legal person or entity engaged in the manufacture of a product subject to license under the act.
- (u) Manufacture means all steps in propagation or manufacture and preparation of products and includes but is not limited to filling, testing, labeling, packaging, and storage by the manufacturer.
- (v) Location includes all buildings, appurtenances, equipment and animals used, and personnel engaged by a manufacturer within a particular area designated by an address adequate for identification.
- (w) $\it Establishment$ includes all locations.
- (x) Lot means that quantity of uniform material identified by the manufacturer as having been thoroughly mixed in a single vessel.
- (y) A *filling* refers to a group of final containers identical in all respects, which have been filled with the same product from the same bulk lot without any change that will affect the integrity of the filling assembly.
- (z) *Process* refers to a manufacturing step that is performed on the product itself which may affect its safety, purity or potency, in contrast to such manufacturing steps which do not affect intrinsically the safety, purity or potency of the product.

- (aa) Selling agent or distributor means any person engaged in the unrestricted distribution, other than by sale at retail, of products subject to license.
- (bb) *Container* (referred to also as "final container") is the immediate unit, bottle, vial, ampule, tube, or other receptacle containing the product as distributed for sale, barter, or exchange.
- (cc) Package means the immediate carton, receptacle, or wrapper, including all labeling matter therein and thereon, and the contents of the one or more enclosed containers. If no package, as defined in the preceding sentence, is used, the container shall be deemed to be the package.
- (dd) *Label* means any written, printed, or graphic matter on the container or package or any such matter clearly visible through the immediate carton, receptacle, or wrapper.
- (ee) Radioactive biological product means a biological product which is labeled with a radionuclide or intended solely to be labeled with a radionuclide

[38 FR 32048, Nov. 20, 1973, as amended at 40 FR 31313, July 25, 1975; 55 FR 11014, Mar. 26, 1990]

Subpart B—Establishment Standards

§600.10 Personnel.

(a) Responsible head. A person shall be designated as the responsible head who shall exercise control of the establishment in all matters relating to compliance with the provisions of this subchapter, with authority to represent the manufacturer in all pertinent matters with the Center for Biologics Evaluation and Research, and with authority to enforce or to direct the enforcement of discipline and the performance of assigned functions by employees engaged in the manufacture of products. The responsible head shall have an understanding of the scientific principles and the techniques involved in the manufacture of products. The responsible head shall have the responsibility for the training of employees in manufacturing methods and for their being informed concerning the application of the pertinent provisions of this subchapter to their respective functions.

- (b) Other personnel. Personnel shall have capabilities commensurate with their assigned functions, a thorough understanding of the manufacturing operations which they perform, the necessary training and experience relating to individual products, and adequate information concerning the application of the pertinent provisions of this subchapter to their respective functions. Personnel shall include such professionally trained persons as are necessary to insure the competent performance of all manufacturing processes.
- (c) Restrictions on personnel—(1) Specific duties. Persons whose presence can affect adversely the safety and purity of a product shall be excluded from the room where the manufacture of a product is in progress.
- (2) Sterile operations. Personnel performing sterile operations shall wear clean or sterilized protective clothing and devices to the extent necessary to protect the product from contamination.
- (3) Pathogenic viruses and spore-bearing organisms. Persons working with viruses pathogenic for man or with spore-bearing microorganisms, and persons engaged in the care of animals or animal quarters, shall be excluded from areas where other products are manufactured, or such persons shall change outer clothing, including shoes, or wear protective covering prior to entering such areas.
- (4) Live vaccine work areas. Persons may not enter a live vaccine processing area after having worked with other infectious agents in any other laboratory during the same working day. Only persons actually concerned with propagation of the culture, production of the vaccine, and unit maintenance, shall be allowed in live vaccine processing areas when active work is in progress. Casual visitors shall be excluded from such units at all times and all others having business in such areas shall be admitted only under supervision. Street clothing, including shoes, shall be replaced or covered by suitable laboratory clothing before entering a live vaccine processing unit. Persons caring for animals used in the manufacture of live vaccines shall be excluded from other animal quarters and from

contact with other animals during the same working day.

[38 FR 32048, Nov. 20, 1973, as amended at 49 FR 23833, June 8, 1984; 55 FR 11014, Mar. 26,

§600.11 Physical establishment, equipment, añimals, and care.

(a) Work areas. All rooms and work areas where products are manufactured or stored shall be kept orderly, clean, and free of dirt, dust, vermin and objects not required for manufacturing. Precautions shall be taken to avoid clogging and back-siphonage of drainage systems. Precautions shall be taken to exclude extraneous infectious agents from manufacturing Work rooms shall be well lighted and ventilated. The ventilation system shall be arranged so as to prevent the dissemination of microorganisms from one manufacturing area to another and to avoid other conditions unfavorable to the safety of the product. Filling rooms, and other rooms where open, sterile operations are conducted, shall be adequate to meet manufacturing needs and such rooms shall be constructed and equipped to permit thorough cleaning and to keep air-borne contaminants at a minimum. If such rooms are used for other purposes, they shall be cleaned and prepared prior to use for sterile operations. Refrigerators, incubators and warm rooms shall be maintained at temperatures within applicable ranges and shall be free of extraneous material which might affect the safety of the product.

(b) Equipment. Apparatus for sterilizing equipment and the method of operation shall be such as to insure the destruction of contaminating microorganisms. The effectiveness of the sterilization procedure shall be no less than that achieved by an attained temperature of 121.5° C maintained for 20 minutes by saturated steam or by an attained temperature of 170° C maintained for 2 hours with dry heat. Processing and storage containers, filters, filling apparatus, and other pieces of apparatus and accessory equipment, including pipes and tubing, shall be designed and constructed to permit thorough cleaning and, where possible, inspection for cleanliness. All surfaces that come in contact with products shall be clean and free of surface solids, leachable contaminants, and other materials that will hasten the deterioration of the product or otherwise render it less suitable for the intended use. For products for which sterility is a factor, equipment shall be sterile, unless sterility of the product is assured by subsequent procedures.

(c) Laboratory and bleeding rooms. Rooms used for the processing of products, including bleeding rooms, shall be effectively fly-proofed and kept free of flies and vermin. Such rooms shall be so constructed as to insure freedom from dust, smoke and other deleterious substances and to permit thorough cleaning and disinfection. Rooms for animal injection and bleeding, and rooms for smallpox vaccine animals, shall be disinfected and be provided with the necessary water, electrical

and other services.

(d) Animal quarters and stables. Animal quarters, stables and food storage areas shall be of appropriate construction, fly-proofed, adequately lighted and ventilated, and maintained in a clean, vermin-free and sanitary condition. No manure or refuse shall be stored as to permit the breeding of flies on the premises, nor shall the establishment be located in close proximity to off-property manure or refuse storage capable of engendering fly breeding.

(e) Restrictions on building and equipment use-(1) Work of a diagnostic nature. Laboratory procedures of a clinical diagnostic nature involving materials that may be contaminated, shall not be performed in space used for the manufacture of products except that manufacturing space which is used only occasionally may be used for diagnostic work provided spore-bearing pathogenic microorganisms are not involved and provided the space is thoroughly cleaned and disinfected before the manufacture of products is resumed.

(2) Spore-bearing organisms for supplemental sterilization procedure control test. Spore-bearing organisms used as an additional control in sterilization procedures may be introduced into areas used for the manufacture of products, only for the purposes of the test and only immediately before use for such purposes: *Provided*, That (i) the organism is not pathogenic for man or animals and does not produce pyrogens or toxins, (ii) the culture is demonstrated to be pure, (iii) transfer of test cultures to culture media shall be limited to the sterility test area or areas designated for work with spore-bearing organisms, (iv) each culture be labeled with the name of the microorganism and the statement "Caution: microbial spores. See directions for storage, use and disposition.", and (v) the container of each culture is designed to withstand handling without breaking.

- (3) Work with spore-bearing organisms. Except as provided in the previous paragraph, all work with spore-bearing microorganisms shall be done in an entirely separate building: Provided, That such work may be done in a portion of a building used in the manufacture of products not containing spore-bearing microorganisms if such portion is completely walled-off and is constructed so as to prevent contamination of other areas and if entrances to such portion are independent of the remainder of the building. All vessels, apparatus and equipment used for spore-bearing microorganisms shall be permanently identified and reserved exclusively for use with those organisms. Materials destined for further manufacturing may be removed from such an area only under conditions which will prevent the introduction of spores into other manufacturing areas.
- (4) Live vaccine processing. Space used for processing a live vaccine shall not be used for any other purpose during the processing period for that vaccine and such space shall be decontaminated prior to initiation of the processing. Live vaccine processing areas shall be isolated from and independent of any space used for any other purpose by being either in a separate building, in a separate wing of a building, or in quarters at the blind end of a corridor and shall include adequate space and equipment for all processing steps up to filling into final containers. Test procedures which potentially involve the presence of microorganisms other than the vaccine strains, or the use of tissue culture cell lines other than primary cultures, shall not be conducted

in space used for processing live vaccine.

- (5) Equipment and supplies—contamination. Equipment and supplies used in work on or otherwise exposed to any pathogenic or potentially pathogenic agent shall be kept separated from equipment and supplies used in the manufacture of products to the extent necessary to prevent cross-contamination.
- (f) Animals used in manufacture—(1) Care of animals used in manufacturing. Caretakers and attendants for animals used for the manufacture of products shall be sufficient in number and have adequate experience to insure adequate care. Animal quarters and cages shall be kept in sanitary condition. Animals on production shall be inspected daily to observe response to production procedures. Animals that become ill for reasons not related to production shall be isolated from other animals and shall not be used for production until recovery is complete. Competent veterinary care shall be provided as need-
- (2) Quarantine of animals—(i) General. No animal shall be used in processing unless kept under competent daily inspection and preliminary quarantine for a period of at least 7 days before use, or as otherwise provided in this subchapter. Only healthy animals free from detectable communicable diseases shall be used. Animals must remain in overt good health throughout the quarantine periods and particular care shall be taken during the quarantine periods to reject animals of the equine genus which may be infected with glanders and animals which may be infected with tuberculosis.
- (ii) Quarantine of monkeys. In addition to observing the pertinent general quarantine requirements, monkeys used as a source of tissue in the manufacture of vaccine shall be maintained in quarantine for at least 6 weeks prior to use, except when otherwise provided in this part. Only monkeys that have reacted negatively to tuberculin at the start of the quarantine period and again within 2 weeks prior to use shall be used in the manufacture of vaccine. Due precaution shall be taken to prevent cross-infection from any infected or potentially infected monkeys on the

premises. Monkeys to be used in the manufacture of a live vaccine shall be maintained throughout the quarantine period in cages closed on all sides with solid materials except the front which shall be screened, with no more than two monkeys housed in one cage. Cage mates shall not be interchanged.

- (3) Immunization against tetanus. Horses and other animals susceptible to tetanus, that are used in the processing steps of the manufacture of biological products, shall be treated adequately to maintain immunity to tetanus.
- (4) Immunization and bleeding of animals used as a source of products. Toxins or other nonviable antigens administered in the immunization of animals used in the manufacture of products shall be sterile. Viable antigens, when so used, shall be free of contaminants, as determined by appropriate tests prior to use. Injections shall not be made into horses within 6 inches of bleeding site. Horses shall not be bled manufacturing purposes showing persistent general reaction or local reaction near the site of bleeding. Blood shall not be used if it was drawn within 5 days of injecting the animals with viable microorganisms. Animals shall not be bled for manufacturing purposes when they have an intercurrent disease. Blood intended for use as a source of a biological product shall be collected in clean, sterile vessels. When the product is intended for use by injection, such vessels shall also be pyrogen-free.

(5) [Reserved]

- (6) Reporting of certain diseases. In cases of actual or suspected infection with foot and mouth disease, glanders, tetanus, anthrax, gas gangrene, equine infectious anemia; equine encephalomyelitis, or any of the pock diseases among animals intended for use or used in the manufacture of products, the manufacturer shall immediately notify the Director, Center for Biologics Evaluation and Research.
- (7) Monkeys used previously for experimental or test purposes. Monkeys that have been used previously for experimental or test purposes with live microbiological agents shall not be used as a source of kidney tissue for the manufacture of vaccine. Except as

provided otherwise in this subchapter, monkeys that have been used previously for other experimental or test purposes may be used as a source of kidney tissue upon their return to a normal condition, provided all quarantine requirements have been met.

- (8) Necropsy examination of monkeys. Each monkey used in the manufacture of vaccine shall be examined at necropsy under the direction of a qualified pathologist, physician, or veterinarian having experience with diseases of monkeys, for evidence of ill health, particularly for (i) evidence of tuberculosis, (ii) presence of herpes-like lesions, including eruptions or plaques on or around the lips, in the buccal cavity or on the gums, and (iii) signs of conjunctivitis. If there are any such signs or other significant gross pathological lesions, the tissue shall not be used in the manufacture of vaccine.
- (g) Filling procedures. Filling procedures shall be such as will not affect adversely the safety, purity or potency of the product.
- (h) Containers and closures. All final containers and closures shall be made of material that will not hasten the deterioration of the product or otherwise render it less suitable for the intended use. All final containers and closures shall be clean and free of surface solids, leachable contaminants and other materials that will hasten the deterioration of the product or otherwise render it less suitable for the intended use. After filling, sealing shall be performed in a manner that will maintain the integrity of the product during the dating period. In addition, final containers and closures for products intended for use by injection shall be sterile and free from pyrogens. Except as otherwise provided in the regulations of this subchapter, final containers for products intended for use by injection shall be colorless and sufficiently transparent to permit visual examination of the contents under normal light. As soon as possible after filling final containers shall be labeled as prescribed in §610.60 et seq. of this chapter, except that final containers may be stored without such prescribed labeling provided they are stored in a sealed receptacle labeled both inside and outside with at least the name of the product,

the lot number, and the filling identification.

[38 FR 32048, Nov. 20, 1973, as amended at 41 FR 10428, Mar. 11, 1976; 49 FR 23833, June 8, 1984; 55 FR 11013, Mar. 26, 1990]

§600.12 Records.

- (a) Maintenance of records. Records shall be made, concurrently with the performance, of each step in the manufacture and distribution of products, in such a manner that at any time successive steps in the manufacture and distribution of any lot may be traced by an inspector. Such records shall be legible and indelible, shall identify the person immediately responsible, shall include dates of the various steps, and be as detailed as necessary for clear understanding of each step by one experienced in the manufacture of products.
- (b) Records retention—(1) General. Records shall be retained for such interval beyond the expiration date as is necessary for the individual product, to permit the return of any clinical report of unfavorable reactions. The retention period shall be no less than five years after the records of manufacture have been completed or six months after the latest expiration date for the individual product, whichever represents a later date.
- (2) Records of recall. Complete records shall be maintained pertaining to the recall from distribution of any product upon notification by the Director, Center for Biologics Evaluation and Research, to recall for failure to conform with the standards prescribed in the regulations of this subchapter, because of deterioration of the product or for any other factor by reason of which the distribution of the product would constitute a danger to health.
- (3) Suspension of requirement for retention. The Director, Center for Biologics Evaluation and Research, may authorize the suspension of the requirement to retain records of a specific manufacturing step upon a showing that such records no longer have significance for the purposes for which they were made: Provided, That a summary of such records shall be retained.
- (c) Records of sterilization of equipment and supplies. Records relating to the mode of sterilization, date, duration, temperature and other conditions re-

lating to each sterilization of equipment and supplies used in the processing of products shall be made by means of automatic recording devices or by means of a system of recording which gives equivalent assurance of the accuracy and reliability of the record. Such records shall be maintained in a manner that permits an identification of the product with the particular manufacturing process to which the sterilization relates.

(d) Animal necropsy records. A necropsy record shall be kept on each animal from which a biological product has been obtained and which dies or is sacrificed while being so used.

(e) Records in case of divided manufacturing responsibility. If two or more establishments participate in the manufacture of a product, the records of each such establishment must show plainly the degree of its responsibility. In addition, each participating manufacturer shall furnish to the manufacturer who prepares the product in final form for sale, barter or exchange, a copy of all records relating to the manufacturing operations performed by such participating manufacturer insofar as they concern the safety, purity and potency of the lots of the product involved, and the manufacturer who prepares the product in final form shall retain a complete record of all the manufacturing operations relating to the product.

[38 FR 32048, Nov. 20, 1973, as amended at 49 FR 23833, June 8, 1984; 55 FR 11013, Mar. 26, 1990]

§600.13 Retention samples.

Manufacturers shall retain for a period of at least 6 months after the expiration date, unless a different time period is specified in additional standards, a quantity of representative material of each lot of each product, sufficient for examination and testing for safety and potency, except Whole Blood, Cryoprecipitated AHF, Platelets, Red Blood Cells, Plasma, and Source Plasma and Allergenic Products prepared to a physician's prescription. Samples so retained shall be selected at random from either final container material, or from bulk and final containers, provided they include at least one final container as a final package,

or package-equivalent of such filling of each lot of the product as intended for distribution. Such sample material shall be stored at temperatures and under conditions which will maintain the identity and integrity of the product. Samples retained as required in this section shall be in addition to samples of specific products required to be submitted to the Center for Biologics Evaluation and Research. Exceptions may be authorized by the Director, Center for Biologics Evaluation and Research, when the lot yields relatively few final containers and when such lots are prepared by the same method in large number and in close succession.

[41 FR 10428, Mar. 11, 1976, as amended at 49 FR 23833, June 8, 1984; 50 FR 4133, Jan. 29, 1985; 55 FR 11013, Mar. 26, 1990]

§600.14 Reporting of errors.

(a) The Director, Office of Compliance, Center for Biologics Evaluation and Research (HFB-100), 8800 Rockville Pike, Bethesda, MD 20892, shall be notified promptly of errors or accidents in the manufacture of products that may affect the safety, purity, or potency of any product.

(b) Manufacturers of licensed in vitro diagnostic products, and manufacturers of unlicensed in vitro diagnostic products which are required to be registered under part 607 of this chapter, shall notify the Director in accordance with paragraph (a) of this section. Manufacturers of other in vitro diagnostic products which are required to be registered under part 807 of this chapter, shall report in accordance with part 803 of this chapter.

[38 FR 32048, Nov. 20, 1973, as amended at 49 FR 23833, June 8, 1984; 49 FR 36348, Sept. 14, 1984; 55 FR 11014, Mar. 26, 1990]

§ 600.15 Temperatures during shipment.

The following products shall be maintained during shipment at the specified temperatures:

(a) Products.

Product	Temperature
Cryoprecipitated AHF Measles and Rubella Virus Vaccine Live.	−18 °C or colder.10 °C or colder.

Product	Temperature
Measles Live and Smallpox	Do.
Vaccine. Measles, Mumps, and	Do.
Rubella Virus Vaccine Live. Measles and Mumps Virus Vaccine Live.	Do.
Measles Virus Vaccine Live Mumps Virus Vaccine Live Fresh Frozen Plasma Liquid Plasma Plasma Platelet Rich Plasma	Do. Do. Do. Do. Do18 °C or colder. 1° to 10°C18 °C or colder. Between 1 and 10 °C if the label indicates storage between 1 and 6 °C, or all reasonable methods to maintain the temperature as close as possible to a range between 20 and 24 °C, if the label indicates storage between 20 and 24 °C. Between 1 and 10 °C if the
Platelets	label indicates storage be- tween 1 and 6 °C, or all reasonable methods to maintain the temperature as close as possible to a range between 20 to 24 °C, if the label indicates storage be- tween 20 and 24 °C.
Poliovirus Vaccine Live Oral Trivalent.	0 °C or colder.
Poliovirus Vaccine Live Oral Type I. Poliovirus Vaccine Live Oral	Do.
Type II. Poliovirus Vaccine Live Oral	Do.
Type III. Red Blood Cells (liquid product).	Between 1 and 10 °C.
Red Blood Cells Frozen	-65 °C or colder.
Rubella and Mumps Virus Vaccine Live.	10 °C or colder.
Rubella Virus Vaccine Live Smallpox Vaccine (Liquid Product).	Do. 0 °C or colder.
Source Plasma	−5 °C or colder. 10 °C or colder. 10 °C or colder. Blood that is transported from the collecting facility to the processing facility shall be transported in an environ- ment capable of continu- ously cooling the blood to- ward a temperature range of 1 ° to 10 °C, or at a temperature as close as possible to 20 ° to 24 °C for a period not to exceed 6 hours. Blood transported from the storage facility shall be placed in an ap- propriate environment to maintain a temperature range between 1 to 10 °C during shipment.
Yellow Fever Vaccine	0 °C or colder.

(b) *Exemptions*. Exemptions or modifications shall be made only upon written approval, in the form of a

supplement of the product license, issued by the Director, Center for Biologics Evaluation and Research.

[39 FR 39872, Nov. 12, 1974, as amended at 49 FR 23833, June 8, 1984; 50 FR 4133, Jan. 29, 1985; 50 FR 9000, Mar. 6, 1985; 55 FR 11013, Mar. 26, 1990; 59 FR 49351, Sept. 28, 1994]

Subpart C—Establishment Inspection

§600.20 Inspectors.

Inspections shall be made by an officer of the Food and Drug Administration having special knowledge of the methods used in the manufacture and control of products and designated for such purposes by the Commissioner of Food and Drugs, or by any officer, agent, or employee of the Department of Health and Human Services specifically designated for such purpose by the Secretary.

[38 FR 32048, Nov. 20, 1973]

§ 600.21 Time of inspection.

The inspection of an establishment for which a license is pending need not be made until the establishment is in operation and is manufacturing the complete product for which a product license is desired. In case the license is denied following inspection for the original license, no reinspection need be made until assurance has been received that the faulty conditions which were the basis of the denial have been corrected. An inspection of each licensed establishment and its additional location(s) shall be made at least once every 2 years. Inspections may be made with or without notice, and shall be made during regular business hours unless otherwise directed.

[38 FR 32048, Nov. 20, 1973, as amended at 48 FR 26314, June 7, 1983]

§ 600.22 Duties of inspector.

The inspector shall:

- (a) Call upon the active head of the establishment, stating the object of his visit.
- (b) Interrogate the proprietor or other personnel of the establishment as he may deem necessary,
- (c) Examine the details of location, construction, equipment and maintenance, including stables, barns, ware-

houses, manufacturing laboratories, bleeding clinics maintained for the collection of human blood, shipping rooms, record rooms, and any other structure or appliance used in any part of the manufacture of a product,

- (d) Investigate as fully as he deems necessary the methods of propagation, processing, testing, storing, dispensing, recording, or other details of manufacture and distribution of each licensed product, or product for which a license has been requested, including observation of these procedures in actual operation.
- (e) Obtain and cause to be sent to the Director, Center for Biologics Evaluation and Research, adequate samples for the examination of any product or ingredient used in its manufacture,
- (f) Bring to the attention of the manufacturer any fault observed in the course of inspection in location, construction, manufacturing methods, or administration of a licensed establishment which might lead to impairment of a product.
- (g) Inspect and copy, as circumstances may require, any records required to be kept pursuant to §600.12,
- (h) Certify as to the condition of the establishment and of the manufacturing methods followed and make recommendations as to action deemed appropriate with respect to any application for license or any license previously issued.

[38 FR 32048, Nov. 20, 1973, as amended at 49 FR 23833, June 8, 1984; 55 FR 11013, Mar. 26, 1990]

Subpart D—Reporting of Adverse Experiences

SOURCE: 59 FR 54042, Oct. 27, 1994, unless otherwise noted

§600.80 Postmarketing reporting of adverse experiences.

(a) *Definitions*. The following definitions of terms apply to this section:

Adverse experience means any adverse event associated with the use of a biological product in humans, whether or not considered product related, including the following: an adverse event occurring in the course of the use of a biological product in professional practice; an adverse event occurring from

overdose of the product, whether accidental or intentional; an adverse event occurring from abuse of the product; an adverse event occurring from withdrawal of the product; and any failure of expected pharmacological action.

Blood Component for this purpose has the same meaning as defined in §606.3(c) of this chapter.

Increased frequency means an increase in the rate of occurrence of a particular adverse biological product experience, e.g., an increased number of reports of a particular adverse biological product experience after appropriate adjustment for biological product exposure.

Serious means an adverse experience associated with the use of a biological product that is fatal or life-threatening, is permanently disabling, requires inpatient hospitalization, or is a congenital anomaly, cancer, or overdose.

Unexpected means an adverse biological product experience that is not listed in the current labeling for the product and includes an event that may be symptomatically pathophysiologically related to event listed in the labeling, but differs from the event because of greater severity or specificity. For example, under this definition, hepatic necrosis would be unexpected (by virtue of greater severity) if the labeling only referred to elevated hepatic enzymes or hepatitis. Similarly, cerebral thromboembolism and cerebral vasculitis would be unexpected (by virtue of greater specificity) if the labeling only listed cerebral vascular accidents.

(b) Review of adverse experiences. Any person having a product license under \$601.20 of this chapter shall promptly review all adverse experience information pertaining to its product obtained or otherwise received by the licensed manufacturer from any source, foreign or domestic, including information derived from commercial marketing experience, postmarketing clinical investigations, postmarketing epidemiological/surveillance studies, reports in the scientific literature, and unpublished scientific papers.

(c) Reporting requirements. The licensed manufacturer shall report to FDA adverse experience information,

as described in this section. The licensed manufacturer shall submit two copies of each report described in this section for nonvaccine biological products, to the Center for Biologics Evaluation and Research (HFM-210), Food and Drug Administration, 1401 Rockville Pike, suite 200 N., Rockville, MD 20852-1448. Submit all vaccine adverse experience reports to: Vaccine Adverse Event Reporting System (VAERS), P.O. Box 1100, Rockville, MD 20849-1100. FDA may waive the requirement for the second copy in appropriate instances.

(1) Fifteen-day Alert reports. (i) The licensed manufacturer shall report each adverse experience that is both serious and unexpected, regardless of source, as soon as possible but in any case within 15 working days of initial receipt of the information. These reports are required to be submitted, for nonvaccine biological products, on a form designated by FDA or a suitable format containing all of the data elements in the FDA designated reporting form, and, for vaccines on a VAERS form. licensed manufacturer shall promptly investigate all adverse experiences that are the subject of these 15day Alert reports and shall submit followup reports within 15 working days of receipt of new information or as requested by FDA. If additional information is not obtainable, a followup report may be required that describes briefly the steps taken to seek additional information and the reasons why it could not be obtained. These 15-day Alert reports and followups to them are required to be submitted under separate cover and may not be included, except for summary or tabular purposes, in a periodic report.

(ii) The licensed manufacturer shall review periodically (at least as often as the periodic reporting cycle) the frequency of reports of adverse biological product experiences that are both serious and expected and reports of therapeutic failure (lack of effect), regardless of source, and report any significant increase in frequency as soon as possible but in any case within 15 working days of determining that a significant increase in frequency exists. Upon written notice, FDA may require that licensed manufacturers

review the frequency of reports of serious, expected adverse biological product experiences at intervals different than the periodic reporting cycle. Reports of a significant increase in frequency are required to be submitted in narrative form (including the time period on which the increased frequency is based, the method of analysis, and the interpretation of the results), rather than using the form designated by FDA. Fifteen-day Alert reports based on increased frequency are required to be submitted under separate cover and may not be included, except for summary purposes, in a periodic report.

(iii) The requirements of paragraphs (c)(1)(i) and (c)(1)(ii) of this section, concerning the submission of Fifteenday Alert reports, shall also apply to any person other than the licensed manufacturer of the final product whose name appears on the label of a licensed biological product as a manufacturer, packer, distributor, shared manufacturer, joint manufacturer, or any other participant involved in divided manufacturing. In order to avoid unnecessary duplication in the initial and followup submission of reports to FDA, the obligations of a manufacturer other than the licensed manufacturer, may be met by submitting all reports to the licensed manufacturer of the final product. If a manufacturer other than the licensed manufacturer elects to submit reports to the licensed manufacturer rather than to FDA, it shall submit each report to the licensed manufacturer within 3 working days of its receipt, and the licensed manufacturer shall then comply with the requirements of this section. Under this circumstance, the manufacturer shall maintain a record of this action which shall include:

- (A) A copy of all adverse biological product experience reports submitted to the licensed manufacturer,
- (B) Date the report was received by the manufacturer.
- (C) Date the report was submitted to the licensed manufacturer,
- (D) Name and address of the licensed manufacturer.
- (iv) Each report submitted under this paragraph shall bear prominent identification as to its contents, i.e., "15-day

Alert report' or "15-day Alert report-followup."

- Periodic adverse experience reports. (i) The licensed manufacturer shall report each adverse experience not reported under paragraph (c)(1)(i) of this section at quarterly intervals, for 3 years from the date of issuance of the product license, and then at annual intervals. The licensed manufacturer shall submit each quarterly report within 30 days of the close of the quarter (the first quarter beginning on the date of issuance of the product license) and each annual report within 60 days of the anniversary date of the issuance of the product license. Upon written notice, FDA may extend or reestablish the requirement that a licensed manufacturer submit quarterly reports, or require that the licensed manufacturer submit reports under this section at different times than those stated. Followup information to adverse experiences submitted in a periodic report may be submitted in the next periodic report.
- (ii) Each periodic report shall contain:
- (A) A narrative summary and analysis of the information in the report and an analysis of the 15-day Alert reports submitted during the reporting interval (all 15-day Alert reports being appropriately referenced by the licensed manufacturer's patient identification number, adverse reaction term(s), and date of submission to FDA);
- (B) A form designated for Adverse Experience Reporting by FDA for each adverse experience not reported under paragraph (c)(1)(i) of this section (with an index consisting of a line listing of the licensed manufacturer's patient identification number and adverse reaction term(s)): and
- (C) A history of actions taken since the last report because of adverse experiences (for example, labeling changes or studies initiated).
- (iii) Periodic reporting, except for information regarding 15-day Alert reports, does not apply to adverse experience information obtained from postmarketing studies (whether or not conducted under an investigational new drug application), from reports in the scientific literature, and from foreign marketing experience.

- (d) Scientific literature. (1) A 15-day Alert report based on information from the scientific literature shall be accompanied by a copy of the published article. The 15-day Alert reporting requirements in paragraph (c)(1)(i) of this section (i.e., serious, unexpected adverse experiences) apply only to reports found in scientific and medical journals either as case reports or as the result of a formal clinical trial. The 15day Alert reporting requirements in paragraph (c)(1)(ii) of this section (i.e., a significant increase in frequency of a serious, expected adverse experience or of a therapeutic failure) apply only to reports found in scientific and medical journals either as the result of a formal clinical trial, or from epidemiologic studies or analyses of experience in a monitored series of patients.
- (2) As with all reports submitted under paragraph (c)(1)(i) of this section, reports based on the scientific literature shall be submitted on the reporting form designated by FDA or comparable format as prescribed by paragraph (f) of this section. In cases where the licensed manufacturer believes that preparing the form designated by FDA constitutes an undue hardship, the licensed manufacturer may arrange with the Division of Biostatistics and Epidemiology (HFM-210) for an acceptable alternative reporting format.
- (e) Postmarketing studies. (1) Licensed manufacturers are not required to submit a 15-day Alert report under paragraph (c) of this section for an adverse experience obtained from a postmarketing clinical study (whether or not conducted under a biological investigational new drug application) unless the licensed manufacturer concludes that there is a reasonable possibility that the product caused the adverse experience.
- (2) The licensed manufacturer shall separate and clearly mark reports of adverse experiences that occur during a postmarketing study as being distinct from those experiences that are being reported spontaneously to the licensed manufacturer.
- (f) Reporting forms. (1) Except as provided in paragraphs (c)(1)(ii), and (f)(3) of this section, the licensed manufacturer shall complete the reporting form

designated by FDA (FDA-3500A, or, for vaccines, a VAERS form) for each report of an adverse experience.

(2) Each completed form should refer only to an individual patient or single

attached publication.

- (3) Instead of using a designated reporting form, a licensed manufacturer may use a computer-generated form or other alternative format (e.g., a computer-generated tape or tabular listing) provided that:
- (i) The content of the alternative format is equivalent in all elements of information to those specified in the form designated by FDA; and
- (ii) the format is approved in advance by MEDWATCH: The FDA Medical Products Reporting Program; or, for alternatives to the VAERS Form, by the Division of Biostatistics and Epidemiology.
- (4) Copies of the reporting form designated by FDA (FDA-3500A) for non-vaccine biological products may be obtained from the Center for Biologics Evaluation and Research (address above). Additional supplies of the form may be obtained from the Consolidated Forms and Publications Distribution Center, 3222 Hubbard Rd., Landover, MD 20785. Supplies of the VAERS form may be obtained from VAERS by calling 1-800-822-7967.
- (g) Multiple reports. A licensed manufacturer should not include in reports under this section any adverse experiences that occurred in clinical trials if they were previously submitted in the product license application. If a report refers to more than one biological product marketed by a licensed manufacturer, the licensed manufacturer should submit the report to the license for the product listed first in the report.
- (h) Patient privacy. For nonvaccine biological products, a licensed manufacturer should not include in reports under this section the names and addresses of individual patients; instead, the licensed manufacturer should assign a unique code number to each report, preferably not more than eight characters in length. The licensed manufacturer should include the name of the reporter from whom the information was received. The names of patients, health care professionals,

hospitals, and geographical identifiers in adverse experience reports are not releasable to the public under FDA's public information regulations in part 20 this of chapter. For vaccine adverse experience reports, these data will become part of the CDC Privacy Act System 09–20–0136, "Epidemiologic Studies and Surveillance of Disease Problems." Information identifying the person who received the vaccine or that person's legal representative will not be made available to the public, but may be available to the vaccinee or legal representative.

- (i) Recordkeeping. The licensed manufacturer shall maintain for a period of 10 years records of all adverse experiences known to the licensed manufacturer, including raw data and any correspondence relating to the adverse experiences.
- (j) Guideline. FDA has prepared a guideline for the submission of reports of adverse experiences and suggested followup investigation of reports.
- (k) Revocation of license. If a licensed manufacturer fails to establish and maintain records and make reports required under this section with respect to a licensed biological product, FDA may revoke the product license for such a product in accordance with the procedures of §601.5 of this chapter.
- (l) *Exemptions*. Manufacturers of the following listed products are not required to submit adverse experience reports under this section:
- (1) Whole blood or components of whole blood.
- (2) In vitro diagnostic products, including assay systems for the detection of antibodies or antigens to retroviruses. These products are subject to the reporting requirements for devices.
- (m) Disclaimer. A report or information submitted by a licensed manufacturer under this section (and any release by FDA of that report or information) does not necessarily reflect a conclusion by the licensed manufacturer or FDA that the report or information constitutes an admission that the biological product caused or contributed to an adverse effect. A licensed manufacturer need not admit, and may deny, that the report or information submitted under this section constitutes an

admission that the biological product caused or contributed to an adverse effect. For purposes of this provision, this paragraph also includes any person reporting under paragraph (c)(1)(iii) of this section.

§ 600.81 Distribution reports.

The licensed manufacturer shall submit information about the quantity of the product distributed under the product license, including the quantity distributed to distributors. The interval between distribution reports shall be 6 months. Upon written notice, FDA may require that the licensed manufacturer submit distribution reports under this section at times other than every 6 months. The distribution report shall consist of the bulk lot number (from which the final container was filled), the fill lot numbers for the total number of dosage units of each strength or potency distributed (e.g., fifty thousand per 10-milliliter vials), the label lot number (if different from fill lot number), labeled date of expiration. number of doses in fill lot/label lot, date of release of fill lot/label lot for distribution at that time. If any significant amount of a fill lot/label lot is returned, include this information. Disclosure of financial or pricing data is not required. As needed, FDA may require submission of more detailed product distribution information. Upon written notice, FDA may require that the licensed manufacturer submit reports under this section at times other than those stated. Requests by a licensed manufacturer to submit reports at times other than those stated should be made as a request for a waiver under § 600.90.

§600.90 Waivers.

- (a) A licensed manufacturer may ask the Food and Drug Administration to waive under this section any requirement that applies to the licensed manufacturer under §§600.80 and 600.81. A waiver request under this section is required to be submitted with supporting documentation. The waiver request is required to contain one of the following:
- (1) An explanation why the licensed manufacturer's compliance with the

§ 601.1

requirement is unnecessary or cannot be achieved.

- (2) A description of an alternative submission that satisfies the purpose of the requirement, or
- (3) Other information justifying a waiver.
- (b) FDA may grant a waiver if it finds one of the following:
- (1) The licensed manufacturer's compliance with the requirement is unnecessary or cannot be achieved,
- (2) The licensed manufacturer's alternative submission satisfies the requirement, or
- (3) The licensed manufacturer's submission otherwise justifies a waiver.

PART 601—LICENSING

Subpart A—General Provisions

Sec.

601.1 Two forms of licenses.

- Applications for establishment and 601.2 product licenses; procedure for filing. 601.3 License forms.
- 601.4 Issuance and denial of license.
- 601.5 Revocation of license.
- 601.6 Suspension of license. Procedure for hearings
- 601.8 Publication of revocation.
- 601.9 Licenses; reissuance.

Subpart B—Establishment Licensing

- 601.10 Establishment licenses; issuance and conditions.
- 601.12 Changes to be reported.

Subpart C—Product Licensing

- 601.20 Product licenses; issuance and conditions.
- 601.21 Products under development. 601.22 Products in short supply; initial manufacturing at other than licensed establishment.
- 601.25 Review procedures to determine that licensed biological products are safe, effective, and not misbranded under prescribed, recommended, or suggested conditions of use.
- 601.26 Reclassification procedures to determine that licensed biological products are safe, effective, and not misbranded under prescribed, recommended, or suggested conditions of use.

Subpart D—Licensing of Foreign **Establishments and Products**

- 601.30 Licenses required; products for controlled investigation only.
- 601.31 Procedure.

601.32 Form of license.

601.33 Samples for each importation.

Subpart E-Accelerated Approval of Biological Products for Serious or Life-Threatening Illnesses

601.40 Scope.

- 601.41 Approval based on a surrogate endpoint or on an effect on a clinical endpoint other than survival or irreversible morbidity
- 601.42 Approval with restrictions to assure safe use.

- 601.43 Withdrawal procedures. 601.44 Postmarketing safety reporting.
- 601.45 Promotional materials.
- 601.46 Termination of requirements.

Subpart F—Confidentiality of Information

- 601.50 Confidentiality of data and information in an investigational new drug notice for a biological product.
- 601.51 Confidentiality of data and information in applications for establishment and product licenses.

AUTHORITY: Secs. 201, 501, 502, 503, 505, 510, 513-516, 518-520, 701, 704, 721, 801 of the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 321, 351, 352, 353, 355, 360, 360c–360f, 360h–360j, 371, 374, 379e, 381); secs. 215, 301, 351, 352 of the Public Health Service Act (42 U.S.C. 216, 241, 262, 263); secs. 2-12 of the Fair Packaging and Labeling Act (15 U.S.C. 1451–1461).

SOURCE: 38 FR 32052, Nov. 20, 1973, unless otherwise noted.

CROSS REFERENCES: For U.S. Customs Service regulations relating to viruses, serums, and toxins, see 19 CFR 12.21-12.23. For U.S. Postal Service regulations relating to the admissibility to the United States mails see parts 124 and 125 of the Domestic Mail Manual, that is incorporated by reference in 39 CFR part 111.

Subpart A—General Provisions

§601.1 Two forms of licenses.

There shall be two forms of licenses: establishment and product.

§601.2 Applications for establishment and product licenses; procedures for filing.

(a) General. To obtain a license for any establishment or product, the manufacturer shall make application to the Director, Center for Biologics Evaluation and Research, on forms prescribed for such purposes, and in the case of an application for a product license, shall submit data derived from